

# City of Suffolk

## TMDL Action Plan for Bacteria Reduction

Hoffler Creek, Bleakhorn Creek, Bennetts Creek, Knotts Creek, Shingle Creek, Chuckatuck Creek, The Upper Nansemond River, and the Western Branch of the Elizabeth River.



**Prepared by the City of Suffolk, Virginia**

**6/25/2016**

**MS4 General Permit No. VAR040029**

*This document identifies strategies that the City of Suffolk has already implemented or is considering for implementation to reduce bacterial loads to local waterways.*

## Table of Contents

Introduction .....	3
Background .....	3
Figure 1: Map showing watersheds in the City of Suffolk with Bacteria impairments.....	5
Table 1: Local TMDLs affecting the City of Suffolk.....	6
Potentially significant sources of bacteria .....	7
Current practices to reduce bacteria .....	7
Operations Yards Pollution Prevention Inspections .....	7
Employee Training Enhancements.....	8
Street Sweeping .....	8
Illicit Discharge Detection and Elimination .....	9
Sanitary Sewer Find & Fix and Capital Improvements.....	9
Public Education and Outreach Initiatives.....	10
Pet Waste Stations.....	10
FOG Program.....	10
Septic tank pump out.....	10
Legal authorities.....	11
Sec. 35-52. - Illicit discharges. ....	11
Sec. 35-53. - Enforcement.....	12
Milestones and measurable goals .....	13
Assessing the effectiveness of programs .....	13
City of Suffolk Surface Water Monitoring Program.....	13
Nansemond River.....	13
Hoffler Creek.....	14
Shingle Creek.....	14
Data collected by other groups.....	14
Moving Forward.....	15
Helpful Links.....	15

## Introduction

This document represents the City of Suffolk's Action Plan (plan) to comply with the Total Maximum Daily Load (TMDL) of bacteria established by the Virginia Department of Environmental Quality (DEQ) for eight waterways within or adjacent to the City of Suffolk. It has been prepared as required by The City of Suffolk's General Permit for Discharges of Stormwater from Small Municipal Separate Storm Sewer Systems (MS4) (General Permit No. VAR040029).

The City of Suffolk currently utilizes a variety of practices to limit bacteria leaving the City's storm sewer system, right of way, and public facilities. As additional information is obtained from water monitoring, advances in technology, and the implementation of this plan; an iterative approach will be used to modify the program as appropriate.

This plan has been prepared by City of Suffolk staff, and should be considered a fluid document. It is expected that this plan will be revised periodically to reflect changing goals, new technologies, and a better understanding of the complex interactions in the ever changing biospheres that make up our local waterways.

## Background

The Virginia Department of Environmental Quality routinely monitors and tests waters within the Commonwealth to evaluate their condition. The Virginia Water Quality Standards state that *"all state waters are designated for the following uses: recreational uses (e.g., swimming and boating); the propagation and growth of a balanced indigenous population of aquatic life, including game fish, which might be reasonably expected to inhabit them; wildlife; and the production of edible and marketable natural resources (e.g., fish and shellfish)."*

If DEQ determines that a waterway does not meet Virginia's water quality standards, the water is deemed "impaired". Impaired waters are listed on the Virginia Water Quality Assessment 305(b)/303(d) Integrated Report that is issued every other year to meet the requirements of the U.S. Clean Water Act sections 305(b) and 303(d) and the Virginia Water Quality Monitoring, Information and Restoration Act. The City of Suffolk has seven such impaired waterways within jurisdictional boundaries, and an additional waterway outside of Suffolk's jurisdictional boundaries, that receives stormwater discharges from Suffolk through adjacent jurisdictions.

DEQ performs studies on impaired waterways to determine the total maximum daily load that the water can assimilate and still meet water quality standards. These studies assign waste load allocations (WLAs) to permitted point sources of pollution. WLAs are limits of a pollutant that a permittee must meet by implementing different strategies and best management practices (BMPs).

The City of Suffolk holds a phase II MS4 permit with the State of Virginia. Under this permit any water leaving the MS4 service area through any type of city owned conveyance system such as pipes or open ditches is considered a point source discharge and is subject to WLAs.

The City of Suffolk is located in the heart of the Hampton Roads region of Southeastern Virginia. The City is bounded by the cities of Portsmouth and Chesapeake to the east and by the counties of Isle of Wight and Southampton to the west, the James River to the north and the State of North Carolina to the south. Suffolk, the largest city in Virginia, is comprised of 429 square miles of land with a diverse landscape that includes a mix of rural, suburban, and urban areas. The City's population according to the 2010 census was 84,000 residents. Tidal and non-tidal wetlands cover approximately 94,000 acres of area within the city including the Great Dismal Swamp National Wildlife Refuge.


Within Suffolk's Borders are found agricultural as well as urbanized areas rich in open water and wetland areas. Approximately 70% of the City is considered agricultural. The City is divided into three major watersheds; James River Watershed which encompasses approximately 38.3% of the total drainage area of the City, Chowan River Watershed encompassing approximately 31.1% of the City's drainage area, and finally the Dismal Swamp Watershed comprised of approximately 30.6%. The James River Watershed makes up most of northern and downtown Suffolk. It contains the northwestern and central portions of Suffolk and extends to Isle of Wight County. The primary outfalls for this watershed are Chuckatuck Creek and the Nansemond River. Although a large portion of its land mass is zoned for agricultural use, it currently contains the most densely populated regions of the City and ultimately outfalls to the Chesapeake Bay. The City's Chesapeake Bay Preservation Area encompasses approximately 149 square miles with approximately 48 square miles of that area identified as urban and currently regulated under the City's MS4 Stormwater Permit.

Over 50% of the Nansemond River watershed in the City of Suffolk ultimately outfalls into one of several drinking water reservoirs located in the City. These reservoirs are managed and sampled regularly by drinking water staff for the Cities of Portsmouth, Norfolk, and Suffolk. Additionally, they do not experience regular significant releases as they are being managed for drinking water purposes. They are best described as terminal reservoirs that do not contribute significantly to the water quality of the Nansemond River, James River and the Chesapeake Bay.

The northern half of Suffolk is bisected by the Nansemond River and has numerous tributaries. Five of the waterways identified in this Action Plan drain directly into the Nansemond River, while they are impaired, it should be noted that the Lower Nansemond River is not included on DEQ's list of impaired waterways, the majority of the water leaving the City of Suffolk meets state water quality standards.

The City of Suffolk conducts monthly water monitoring of the Nansemond River and its tributaries to assess actual water quality and to identify areas of concern for future improvements and efforts. The City is committed to cooperating with DEQ to ensure data quality, and to share monitoring information that could prove valuable in the refinement of water quality models and in determining more appropriate load allocations based on actual conditions.

Figure 1 depicts the impaired watershed within the City of Suffolk's jurisdictional boundary.



**Figure 1: Map showing watersheds in the City of Suffolk with Bacteria impairments.**

**Table 1: Local TMDLs affecting the City of Suffolk**

TMDL Project: <b>Elizabeth River - Western Branch (TMDL #2)</b>		EPA Approval Date: <b>7/20/2010</b>			
Basin: <b>Lower James River</b>		SWCB Approval Date: <b>9/30/2010</b>			
Parameter	Impairment	WLA (MPN/day)	LA (MPN/day)	MOS	TMDL (MPN/day)
Enterococcus	Western Branch of Elizabeth River		1.64E+13	Implicit	3.64E+13
	<i>Suffolk MS4 - VAR040029*</i>	<b>2.08E+11</b>		<i>Implicit</i>	
	<i>1% Future Growth</i>	<b>1.62E+11</b>		<i>Implicit</i>	

\* - MS4 permit incorrectly shown as VA0090892 in TMDL study.

TMDL Project: <b>Chuckatuck and Brewers Creeks</b>		EPA Approval Date: <b>7/9/2010</b>			
Basin: <b>Lower James River</b>		SWCB Approval Date: <b>9/30/2010</b>			
Parameter	Impairment	WLA (MPN/day)	LA (MPN/day)	MOS	TMDL (MPN/day)
Fecal coliform	Chuckatuck and Brewers Creeks *		3.12E+13	Implicit	3.17E+13
	<i>Suffolk MS4 - VAR040029</i>	<b>1.50E+11</b>		<i>Implicit</i>	
	<i>1% Future Growth</i>	<b>3.17E+11</b>		<i>Implicit</i>	

\* - Brewers Creek located entirely in Isle of Wight.

TMDL Project: <b>Upper Nansemond River &amp; Shingle Creek</b>		EPA Approval Date: <b>12/4/2006</b>			
Basin: <b>Lower James River</b>		SWCB Approval Date: <b>7/31/2008</b>			
Parameter	Impairment	WLA*** (cfu/yr)	LA (cfu/yr)	MOS	TMDL (cfu/yr)
Enterococcus	Shingle Creek (subwatershed 5)	2.19E+10	1.05E+13	Implicit	1.05E+13
	<i>Suffolk MS4 - VAR040029*</i>	<b>2.19 E+10</b>		<i>Implicit</i>	
Enterococcus	Nansemond River (upper) (subwatersheds 1,2,5)	9.99E+10	5.80E+13	Implicit	5.81E+13
	<i>Suffolk Schools - VA0021709**</i>	<b>2.18E+09</b>		<i>Implicit</i>	
	<i>Suffolk MS4 - VAR040029*</i>	<b>6.63E+10</b>		<i>Implicit</i>	
Enterococcus	Nansemond River (Lake Meade Dam) (subwatersheds 1,2,3,5)	9.99E+10	4.26E+13	Implicit	4.27E+13
	<i>Suffolk Schools - VA0021709**</i>	<b>2.18E+09</b>		<i>Implicit</i>	
	<i>Suffolk MS4 - VAR040029*</i>	<b>6.63E+10</b>		<i>Implicit</i>	
Fecal coliform	Shingle Creek (subwatershed 5)	2.78E+09	1.05E+13	Implicit	1.05E+13
	<i>Suffolk MS4 - VAR040029*</i>	<b>2.78E+09</b>		<i>Implicit</i>	
Fecal coliform	Nansemond River (All tributaries and subwatersheds)	3.89E+10	9.47E+12	Implicit	9.51E+12
	<i>Suffolk Schools - VA0021709**</i>	<b>1.06E+09</b>		<i>Implicit</i>	
	<i>Suffolk MS4 - VAR040029*</i>	<b>1.58E+10</b>		<i>Implicit</i>	

\* - Permit number was corrected following issuance of TMDL report.

\*\* - Included with Suffolk's MS4 WLA under MOA.

\*\*\* - WLAs include 1% for future growth.

TMDL Project: <b>Bennetts, Bleakhorn and Knotts Creeks</b>		EPA Approval Date: <b>6/3/2010</b>			
Basin: <b>Lower James River</b>		SWCB Approval Date: <b>9/30/2010</b>			
Parameter	Impairment	WLA (MPN/day)	LA (MPN/day)	MOS	TMDL (MPN/day)
Fecal coliform	Bleakhorn Creek <i>Suffolk MS4 - VAR040029</i> <i>1% Future Growth</i>	<i>2.49E+09</i> <i>1.73E+08</i>	1.46E+10	Implicit <i>Implicit</i> <i>Implicit</i>	1.73E+10
Fecal coliform	Bennetts Creek <i>Suffolk MS4 - VAR040029</i> <i>1% Future Growth</i>	<i>6.01E+10</i> <i>3.64E+09</i>	3.00E+11	Implicit <i>Implicit</i> <i>Implicit</i>	3.64E+11
Fecal coliform	Knotts Creek <i>Suffolk MS4 - VAR040029</i> <i>1% Future Growth</i>	<i>6.01E+10</i> <i>3.64E+09</i>	3.00E+11	Implicit <i>Implicit</i> <i>Implicit</i>	3.64E+11

TMDL Project: <b>Hoffler Creek</b>		EPA Approval Date: <b>12/14/2011</b>			
Basin: <b>Lower James River</b>		SWCB Approval Date: <b>6/29/2012</b>			
Parameter	Impairment	WLA (MPN/day)	LA (MPN/day)	MOS	TMDL (MPN/day)
Enterococcus	Hoffler Creek <i>Suffolk MS4 - VAR040029</i> <i>1% Future Growth</i>	<i>2.02E+11</i> <i>3.00E+09</i>	2.57E+11	Implicit <i>Implicit</i> <i>Implicit</i>	7.96E+11

### Potentially significant sources of bacteria

- Operations yards
- Pet waste
- Dog parks
- Illicit discharges and cross connections
- School dumpsters
- Failing septic systems
- Sanitary sewer overflows

### Current practices to reduce bacteria

#### Operations Yards Pollution Prevention Inspections

Public Works staff conducts annual inspections of operations facilities for all City and Public School departments where the yard may be a source of stormwater pollution. These inspections are required to be done biennially by the City's Phase II MS4 General Permit, but are typically completed annually.

The inspections focus on operations and activities that have the potential to generate polluted runoff during rain events; such as material storage, waste disposal, and vehicle maintenance. When deficiencies or possible pollution sources are found, Public Works staff provides recommendations to reduce pollution potential. The findings of these inspections are also incorporated into employee trainings. One aspect of these inspections that focuses on bacterial contamination is the assessment of dumpsters, and assuring they are covered to prevent rain from leaching out contaminants.

### **Employee Training Enhancements**

The City developed a pollution prevention guide for personnel who work in operations and maintenance of City assets and buildings. The main area of this training that pertains to bacteria, is proper disposal of garbage and keeping dumpsters covered. This manual also covers illicit discharge identification and notification protocols within the City.

Training is also conducted for these same employees on an annual basis. Training covers the following topics:

- An overview of our MS4 permit requirements
- The definition of MS4
- Illicit discharge detection and elimination
- Construction site erosion and sediment control
- Defining soil erosion, protecting erodible materials
- How to protect erodible materials
- Disposing of waste properly
- Applying fertilizer and pesticide properly
- Vehicle Maintenance
- Vehicle Washing
- Leaking Equipment
- Drum Storage and Fuel Islands
- Proper salt and stockpile storage

### **Street Sweeping**

The Public Works Department currently maintains all “curb and gutter” streets in the City with routine scheduled sweeping by three street sweepers. All of the Downtown Business Overlay District streets and at least sixteen parking lots in this urban area are swept four days per week. This does not include a small sidewalk sweeper that is in operation on the same schedule.

Outside of the downtown area, three sweepers are operated on a seven day rotating schedule for all curb and gutter areas, with sweeps in most neighborhoods occurring approximately once per month.

Bridge decks and ramps are swept as required, several times per year, with extra sweeps when necessary. The sweepers are also used after significant roadwork, tree trimming operations, and construction activities when necessary. Proper disposal of bacteria sources such as pet waste and other organics picked up by the sweepers aid in the reduction of bacteria entering our waterways.

## Illicit Discharge Detection and Elimination

Public Works investigates reports of illicit discharges from the public and other City departments. Illicit discharges can come from a range of sources and involve numerous pollutants, including bacteria. Once notified of an illicit discharge, staff identifies the source of the discharge and the responsible party. Once the nature of the discharge is determined, the responsible party is required to immediately address the discharge and conduct any necessary cleanup. Septic system failures are referred to the local office of the Virginia Department of Health.

## Sanitary Sewer Find & Fix and Capital Improvements

Sanitary sewer overflows (SSOs) are identified as a source of bacteria loads in all of the TMDL reports that this Action Plan addresses. In addition to TMDLs addressing bacteria loads, the City is under a Special Order by Consent (SOBC) that requires the City to conduct a Management, Operations, and Maintenance (MOM) program to eliminate and reduce SSOs within City sanitary sewer systems. The MOM program includes a Find and Fix. The majority of the City's sanitary sewer infrastructure is located within the watersheds of the water bodies that have bacteria TMDLs.

The adopted Capital Improvements Plan: FY 2017-2026 provides budget for sanitary sewer extensions and system upgrades. Budgeted funds will provide for the renovation, rehabilitation, and replacement of the City's sanitary sewer system. The City of Suffolk's system currently consists of 146 pump stations and 339 miles of gravity sewer mains and force mains.

Planned Expenditures							
	FY 17	FY18	FY 19	FY 20	FY 21	FY 22-26	Total
Sanitary Sewer Extensions	\$300,000	\$0	\$300,000	\$0	\$300,000	\$600,000	\$1,500,000
Sanitary Sewer System Upgrades	\$5,931,000	\$6,231,000	\$7,231,000	\$8,731,000	\$8,731,000	\$43,655,000	\$80,510,000

## Total Assets With Sanitary Sewer Overflows By Category

SSO Type	FY 2007 SSOs	FY 2008 SSOs	FY 2009 SSOs	FY 2010 SSOs	FY 2011 SSOs	FY 2012 SSOs	FY 2013 SSOs	FY 2014 SSOs	FY 2015 SSOs
Capacity	5	6	4	8	0	7	8	2	8
Infrastructure	20	16	21	25	18	1	0	1	1
Maintenance	23	21	24	31	26	15	26	12	20
Damage by Others	4	5	1	3	2	1	2	0	0
Power Outages	1	0	0	2	2	1	1	0	0
<b>Total FY SSOs</b>	<b>53</b>	<b>48</b>	<b>50</b>	<b>68</b>	<b>53</b>	<b>27</b>	<b>37</b>	<b>15</b>	<b>10</b>

\* Excluding SSOs occurring during storm events with greater than 17 inch recurrence intervals

As seen in the table above, the total number of sanitary sewer overflows has decreased over the past ten years.

Additionally, the Hampton Roads Sanitation District (HRSD) maintains a sewer conveyance system throughout the City of Suffolk. HRSD provides conveyance from the City's system to their treatment facility located in northern Suffolk. HRSD is also operating under a consent order for bacteria reduction and is planning a number of improvements within the City of Suffolk to address aging facilities and capacity issues.

### **Public Education and Outreach Initiatives**

The City of Suffolk, as a member of the Hampton Roads Planning District Commission, participates in askHRgreen.org to create and spread environmental messaging. The messaging is designed to inform area residents and homeowners about simple ways that they can help the environment. One of the message campaigns is "Scoop the Poop" which informs residents of the impact pet waste can have on local waterways. The Scoop the Poop campaign includes media spots, print materials, and give-away items that encourage pet owners to clean up after their pets and advises how their actions are helping to keep local waterways clean and healthy.

Through askHRgreen.org, the City obtains educational materials and giveaway items that are designed to reinforce positive behaviors, such as cleaning up after pets. The City distributes pet waste bag holders at multiple public events and to groups that work with pet owners. These giveaways make it easier for pet owners to pick up after their pets in the yard or while out for a walk.

### **Pet Waste Stations**

Pet waste stations are installed at the Lake Meade Dog Park operated by Parks and Recreation. This dog park is in the Upper Nansemond River watershed. Three pet waste stations have been installed on the Seaboard Coastline Trail that runs from the village of Driver to Shoulders Hill Road, located in the Bennetts Creek watershed.

The City also administers a Pet Waste Station Grant program through askHRgreen.org which allows neighborhoods and community associations to apply for one or more pet waste stations to be installed for community use. The pet waste stations are free to communities that agree to maintain them. To date thirteen stations have been granted with five stations yet to be claimed.

### **FOG Program**

The City promotes an awareness of the negative effects fats, oils, and grease (FOG) can have on sanitary sewer systems. FOG builds up on pipe walls and can cause blockages leading to sanitary sewer overflows. Educational materials and outreach campaigns are organized and developed by askHRgreen.org with the participation of member localities. The City of Suffolk distributes materials locally to citizens in addition to regional campaigns run by askHRgreen.org.

### **Septic tank pump out**

The City operates a mandatory septic tank pump out program within the Chesapeake Bay Preservation Area. The purpose of the Chesapeake Bay Septic System Pump-Out Program is to protect the ground water quality, as well as the water quality of the Bay and its tributaries. Throughout Suffolk water moves

quickly through the soils, reaches the ground water table, and moves laterally into creeks, rivers and ultimately the Bay. Suffolk's high water table and sandy soils result in a considerable amount of ground water inflow into surface waters. Failing septic tanks have the potential to contaminate both surface water and ground water.

The Chesapeake Bay Local Assistance Board, at its June 16, 2008 meeting, determined that Suffolk must begin to implement the septic tank pump out provisions in order to be found "consistent" with the requirements of the Chesapeake Bay Act. The Bay act is mandatory Virginia Code which requires all private septic systems within the Chesapeake Bay Preservation Area (CBPA) to be pumped out or inspected at least once every five years by a sewage hauler who has been certified by the Virginia Department of Health. This applies to existing homes and businesses, as well as new development.

The City divided the Chesapeake Bay Preservation Area into 5 zones in order to begin the notification process. Each Zone's notification is mailed out the beginning of a City fiscal year (July 1st) and have until the end of the fiscal year (June 30th of the following year) to comply.

Property owners identified to be within the City's scheduled plan to be served sanitary sewer within the next five (5) years are not sent a notification letter. The first cycle of the pump out program started July 1, 2009 and was completed June 30, 2013. The second cycle of notifications is underway.




Figure 2: Map depicting the Septic Tank Pump Out Program zones

## Legal authorities

In order to eliminate illicit discharges into the City owned and operated MS4, Suffolk City Council adopted an ordinance disallowing anything other than stormwater to enter the City owned storm sewer system. The text of the ordinance and the available enforcement actions are reproduced below.

### Sec. 35-52. - Illicit discharges.

(a) It shall be a violation of this chapter to:

- (1) Discharge, or cause or allow to be discharged, sewage, industrial waste or other wastes into the storm sewer system, or any component thereof, or onto driveways, sidewalks, parking lots or other areas draining to the storm sewer system; or
- (2) Connect, or cause or allow to be connected, any sanitary sewer to the storm sewer system; or

(3) Throw, place or deposit or cause to be thrown, placed or deposited into the storm sewer system anything that impeded or interferes with the free flow of stormwater therein.

(b) Violations of this section are subject to all penalties and provisions described in [section 35-53](#) of this chapter.

(Ord. No. [14-O-050](#), § 1, 6-4-2014)

### **Sec. 35-53. - Enforcement.**

(a) Violation of this chapter shall result in the following penalties:

(1) A willful violation shall constitute a class 1 misdemeanor. Each day that a continuing violation is maintained or permitted to remain shall constitute a separate offense.

(2) Any person who, intentionally or otherwise, commits any of the acts prohibited by this chapter shall be liable to the city for all costs of monitoring, containment, cleanup, abatement, removal, and disposal of any substance unlawfully discharged into the storm sewer system.

(3) Any person who, intentionally or otherwise, commits any of the acts prohibited by this chapter shall be subject to a civil penalty not to exceed \$32,500.00 per violation for each day that a violation of this chapter continues. The courts assessing such penalties may, at its discretion, order such penalties be paid into the treasury of the city for the purpose of abating, preventing, monitoring, or mitigating environmental pollution.

(b) Any violator may be required to restore land to its undisturbed condition or in accordance with a notice of violation, stop work order, or permit requirements. In the event that restoration is not undertaken within a reasonable time after notice, the administrator may take necessary corrective action, the cost of which shall be covered by the performance bond, or become a lien upon the property until paid, or both.

(c) The city may pursue violators of this chapter utilizing all such remedies as provided by law, including but not limited to, such applicable civil and criminal remedies set forth in Section 62.1-44.15:48 of the Act (Code of Virginia, § 62.1-44.15:48), or its successor provision, as the same may be amended and renumbered from time to time. The administrator may issue a summons for collection of the civil penalty and the action may be prosecuted in the appropriate court.

(1) In imposing a civil penalty pursuant to this section, the court may consider the degree of harm caused by the violation and also the economic benefit to the violator from noncompliance.

(2) Any civil penalties assessed by a court as a result of a summons issued by the City of Suffolk shall be paid into the Treasury of the City of Suffolk to be used for the purpose of minimizing, preventing, managing, or mitigating pollution of the waters of the locality and abating environmental pollution therein in such manner as the court may, by order, direct.

(d) The remedies set forth in this section shall be cumulative, not exclusive; and it shall not be a defense to any action, civil, or criminal that one or more remedies set forth herein has been sought or granted.

(Ord. No. [14-O-050](#), § 1, 6-4-2014)

## **Milestones and measurable goals**

The City of Suffolk will continue to maintain the previously discussed practices to the maximum extent practicable to reduce the potential for bacteria to reach waterways. Methods for assessment are discussed below. Annual reporting for the MS4 permit will be the interim milestone activity for this action plan.

## **Assessing the effectiveness of programs**

### **City of Suffolk Surface Water Monitoring Program**

In response to the numerous waterway impairments and TMDL studies being conducted within the municipality and decreased funding for analytical testing by the Virginia Department of Environmental Quality, the City of Suffolk initiated a surface water monitoring program in 2011. The program is primarily focused on the Nansemond River, but incorporates other water bodies and tributaries as the need arises. The program is designed to augment the sampling being performed by the Virginia Department of Environmental Quality and Virginia Department of Health Division of Shellfish Sanitation.

Samples are routinely collected by Public Works staff at predetermined sampling locations on the Nansemond River. The City also began a partnership with HRSD to find sources of bacteria in Shingle Creek, with a focus on finding human sources using molecular source tracking.

The City's surface water monitoring program is certified by DEQ as a level III program, allowing data that is collected to be used to list or delist waters on the 303(d) List. Sample analyses are performed by the Hampton Roads Sanitation District Central Environmental Laboratory. Sampling data is uploaded to the DEQ citizen water quality monitoring database for use by the State and public.

The ultimate objectives of the surface water sampling program are to assist with pollutant source identification and to identify areas in need of extra attention or further study. Also, the tracking of bacteria concentration trends over time will allow staff to track the progress towards water quality goals.

### ***Nansemond River***

Public Works staff conducts monthly sampling along the Nansemond River and its tributaries. 16 sites are sampled in total, with 12 sites along the main stem of the Nansemond River from the mouth at the confluence with the James River, to the headwater at the base of the Lake Meade Dam. Sampling is also conducted with one sampling site each at the Nansemond River tributaries of Knotts Creek, Bennetts Creek, Western Branch, and Shingle Creek.

Field conditions measured include: water temperature, pH, salinity, water depth, and water clarity. Sample analysis done by the HRSD lab include: Fecal Coliform, enterococcus, total phosphorus, ammonia, nitrate & nitrite, and total suspended solids.

### ***Hoffler Creek***

The City conducted 33 samplings of Hoffler Creek in partnership with the City of Portsmouth between September 2013 and June 2016. The purpose of this program was to confirm the results of the Hoffler Creek bacteria TMDL study, which was developed with limited water sampling data, and to identify any contributing sources of bacteria. Sampling sites were chosen at strategic locations to be able to narrow down potential sources to sub-watersheds. Suffolk and Portsmouth each sampled four sites and samples were analyzed by the HRSD Central Environmental Laboratory for Fecal Coliform and Enterococcus.

The study undertaken by Suffolk and Portsmouth supported the need for a TMDL for bacteria in Hoffler Creek. The study did not show any definitive or lasting trends in water quality across the whole watershed or within sub-watersheds. The data from the study is available for future analysis.

### ***Shingle Creek***

A bacteria source tracking study was done in the Shingle Creek watershed in 2010 in partnership with HRPDC and HRSD. Grab samples were primarily collected during wet weather events by staff at varying times during or following a rain event. That method of sampling did not give a clear indication as to when the majority of bacteria was entering the system; was the bacteria entering Shingle Creek with runoff from storm events, and if so where on the hydrograph were the most significant inputs of bacteria entering the creek, or if loads enter Shingle Creek in a more dispersed and continuous nature. Due to consistent presence of human specific markers in the Factory Street area, further investigation in the Factory Street area was suggested following this initial study.

HRSD Staff installed automated sampling equipment at a large culvert that conveys Shingle Creek under Factory Street. This equipment included a flow meter placed to measure flow at the culvert and sample collection equipment that pulled water samples from the stream directly below the flow meter. The Auto sampler was programmed by HRSD staff to take 12 samples at set time intervals during periods of increased flow characteristic of storm events. Suffolk staff collected samples from the auto sampler following storm events, as well as a grab sample. Samples were chosen based on their location on the hydrograph and analyzed for E. coli and Enterococcus by the HRSD lab.

Four storm events were sampled during the last quarter of 2014 and gave some indication of a first flush phenomenon of bacteria loads. Results of this study were not conclusive enough to determine sources of bacteria loads but led to another microbial source tracking study.

The second microbial source tracking study began in early 2016 and compared genetic markers and concentrations during dry and wet weather flows at multiple points within the storm water sewer system upstream of the Factory Street culvert. This method of sampling was designed to locate which runs of storm sewer likely had human waste seeping into the pipe infrastructure, or sanitary system cross connections. This study is ongoing as of the writing of this plan.

### **Data collected by other groups**

Outside groups such as the Nansemond River Preservation Alliance (NRPA) and the Virginia Department of Health Division of Shellfish Sanitation also collect water sampling data from Suffolk waterways. The

City is in contact with the aforementioned groups and is working on ways to collaborate to more effectively address the issue of bacterial contamination in Suffolk's waterways.

## **Moving Forward**

The City of Suffolk will implement this plan to reduce the potential of bacteria discharge to surface waters to the maximum extent practicable. Progress updates will be included as part of the annual reporting process. Public input is a valuable resource; any comments regarding the action plan can be directed to the City of Suffolk Public Works Department Engineering Division.

## **Helpful Links**

General water quality and TMDL information

<http://www.deq.virginia.gov/Programs/Water/WaterQualityInformationTMDLs.aspx>

Approved TMDL Reports

<http://www.deq.virginia.gov/Programs/Water/WaterQualityInformationTMDLs/TMDL/TMDLDevelopment/ApprovedTMDLReports.aspxnt.aspx>

Approved TMDL Implementation Plans

<http://www.deq.virginia.gov/Programs/Water/WaterQualityInformationTMDLs/TMDL/TMDLImplementation/TMDLImplementationPlans.aspx>